ELSEVIER

Journal of Magnetism and Magnetic Materials 163 (1996) 401–404

Journal of magnetism and magnetic materials

Author index to volume 163

Ajan, A., see Krishnan, R. 353
Altounian, Z., see Girt, Er. L251
Ando, T., E. Ohta and T. Sato, Contribution of Pt impurities to spin configurations in the reentrant spin glass NiMn 277
Atkinson, R., see Papakonstantinou, P. 378
Attili, R.N., see Carbonari, A.W. 313
Ausloos, M., see Rassili, A. 153

Ba, Q., J. Zhi, G. Zeng and G. Liu, Effect of heat treatment on the magnetic aftereffect in Fe-based amorphous alloys 327
Badescu, V., V. Murariu, O. Rotariu and N. Rezlescu, A new modeling of the initial buildup evolution on a wire in an axial HGMF filter 225
Bakas, T., see Moukarika, A. 109
Bartashevich, M.I., T. Goto, A.V. Korolyov and A.S. Ermolenko, Co metamagnetism and magnetic anisotropy in single-crystalline $Ce(Co_{1-x}Ni_x)_5$ 199
Belayachi, A., see Lassri, H. 339
Berrada, A., see Lassri, H. 339
Bishop, J.E.L., see Hua, L. 285
Bobák, A. and M. Jurčišin, Ferrimagnetism in diluted mixed-spin two-dimensional Ising models 292
Bobo, J.F., see Postava, K. 8

Carbonari, A.W., R.N. Saxena, W. Pendl, Jr., J. Mestnik Filho, R.N. Attili, M. Olzon-Dionysio and S.D. de Souza, Magnetic hyperfine field in the Heusler alloys Co_2YZ (Y = V, Nb, Ta, Cr; Z = Al, Ga) 313
Cavellec, M., D. Riou, J.-M. Grenèche and G. Férey, Hydrothermal synthesis, structure and magnetic properties of $[Fe_3(PO_4)_3F_2, H_3N{-}(CH_2)_4{-}NH_3]$: the analog of the three-dimensional gallophosphate structure-type ULM-3 173
Chen, C., see Pan, H. 221
Chuang, Y.C., see Wu, C.H. 360
Coelho, A.A., Ch.V. Mohan, S. Gama and H. Kronmüller, The magnetic phase transition in $Fe_{17}Dy_2$ and $Fe_{23}Er_6$ single crystals 87
Crew, D.C., S.H. Farrant, P.G. McCormick and R. Street, Measurement of magnetic viscosity in a Stoner–Wohlfarth material 299

Demokritov, S., U. Rücker and P. Grünberg, Enhancement of the Curie temperature of epitaxial EuS(100) films caused by growth dislocations 21
de Souza, S.D., see Carbonari, A.W. 313
Ding, X.H., see Li, H. 125
Donaberger, R.L., see Girt, Er. L251
Dong, J.M., see Li, H. 125
Drillon, M., see Rouba, S. 365
Driouch, L., see Krishnan, R. 353
Dumond, Y., see Krishnan, R. 353

El Yamani, M., see Lassri, H. 339
Ermolenko, A.S., see Bartashevich, M.I. 199

Fähnle, M., see Millev, Y. L264
Farrant, S.H., see Crew, D.C. 299
Férey, G., see Cavellec, M. 173
Fert, A.R., see Postava, K. 8
Flevaris, N.K., see Poulopoulos, P. 27

Gama, S., see Coelho, A.A. 87
Gao, R.W., see Li, H. 125
Ge, W.Q., see Wu, C.H. 360
Gieres, G., see Parhofer, S. 32
Girt, Er., Z. Altounian, M. Mao, I.P. Swainson and R.L. Donaberger, Neutron diffraction study of Fe substitutions in $Nd_2Fe_{17-\delta}X_\delta$ (X = Al, Si, Ga, Mo, W) L251
Goiran, M., see Postava, K. 8
Goto, T., see Bartashevich, M.I. 199
Grenèche, J.-M., see Cavellec, M. 173
Grünberg, P., see Demokritov, S. 21
Grundy, P.J., see Jones, G.A. 232

Habiballah, A., see Lassri, H. 345
Halilov, S.V., see Kulatov, E.T. 331
Hamdoun, M., see Slimani, M. 349
Han, X., see Pan, H. 221
Hassanaïn, N., see Lassri, H. 339
Hernando, A., see Sánchez, M.L. 132
Hua, L., J.E.L. Bishop and J.W. Tucker, Simulation of transverse and longitudinal magnetic ripple structures induced by surface anisotropy 285
Hurben, M.J. and C.E. Patton, Theory of magnetostatic waves for in-plane magnetized anisotropic films 39

0304-8853/96/$15.00 © 1996 Elsevier Science B.V. All rights reserved

Itri, A., see Lassri, H. 339
Itri, A., see Slimani, M. 349

Jaffres, H., see Postava, K. 8
Jiang, S.T., see Li, H. 125
Jin, X.M., see Wu, C.H. 360
Jones, G.A., G.J. Sinclair and P.J. Grundy, The influence of sputtering pressure on the microstructural and magnetic properties of thin film CoCrPt bilayer media 232
Jorat, L., see Vincent, D. 216
Jurčišin, M., see Bobák, A. 292

Kaneko, T., see Ohta, S. 117
Kim, D.H., T.K. Kim, W.S. Park and Y.B. Kim, Magnetocrystalline anisotropy of $Sm_2Fe_{17}N_{2.8}$ 373
Kim, T.K., see Kim, D.H. 373
Kim, Y.B., see Kim, D.H. 373
Knappmann, S., see Wulfhekel, W. 267
Kochetkov, Yu.V., see Nikiforov, V.N. 184
Koksharov, Yu.A., see Nikiforov, V.N. 184
Korolyov, A.V., see Bartashevich, M.I. 199
Korolyov, A.V., see Mushnikov, N.V. 322
Krishnan, K.M., see Rogers, D.J. 393
Krishnan, R., L. Driouch, H. Lassri, Y. Dumond, A. Ajan, S.N. Shringi and S. Prasad, Magnetic and Mössbauer studies of amorphous $Fe_{72-x}Y_xHo_8B_{20}$ alloys 353
Krishnan, R., see Lassri, H. 339
Krishnan, R., see Lassri, H. 345
Krishnan, R., see Poulopoulos, P. 27
Krishnan, R., see Slimani, M. 349
Kronmüller, H., see Coelho, A.A. 87
Kronmüller, H., see Mohan, Ch.V. 96
Kuanr, B.K., Effect of the strong relaxer cobalt on the parallel and perpendicular pumping spin-wave instability threshold of LiTi ferrites 164
Kulatov, E.T., Yu.A. Uspenskii and S.V. Halilov, Spin, orbital moments and magneto-optical properties of MPt_3 (M = Cr, Mn, Fe, Co) compounds 331

Lai, J.K.L., see Shao, Y.Z. 103
Lassri, H., A. Habiballah, E.H. Sayouty and R. Krishnan, Magnetic behaviour of $Fe_{80-x}V_xB_{12}Si_8$ metallic glasses 345
Lassri, H., A. Qachaou, A. Belayachi, A. Itri, N. Hassanaïn, A. Berrada, M. El Yamani and R. Krishnan, Influence of small addition of Er on the magnetic properties of amorphous $Co_{80}Er_xB_{20-x}$ alloys 339
Lassri, H., see Krishnan, R. 353
Lassri, H., see Slimani, M. 349
Lévy, J.-C.S., see Mercier, D. 207
Li, H., S.T. Jiang, L.M. Mei, R.W. Gao, J.M. Dong and X.H. Ding, Study of the exchange coupling and magnetism in Nd_2Fe_{17} 125
Li, J.Y., see Wu, C.H. 360
Li, R.Q., see Wu, C.H. 360
Li, Z.W. and A.H. Morrish, Studies of spectra for gas-phase prepared $Sm_2Fe_{17-x}Si_xC_y$ 193
Liu, G., see Ba, Q. 327

Maeda, Y., see Rogers, D.J. 393
Mao, M., see Girt, Er. L251
Matsuda, H., see Takasu, I. 397
McCormick, P.G., see Crew, D.C. 299
Mei, L.M., see Li, H. 125
Mercier, D. and J.-C.S. Lévy, Roughness effects on spin waves 207
Mestnik Filho, J., see Carbonari, A.W. 313
Metoki, N., see Nakamura, H. L1
Mibu, K., T. Nagahama and T. Shinjo, Reversible magnetization process and magnetoresistance of soft-magnetic (NiFe)/hard-magnetic (CoSm) bilayers 75
Millev, Y. and M. Fähnle, Anomalous behaviour of the second constant of magnetic single-ion anisotropy as a function of magnetization and temperature L264
Mirković, J., see Nikiforov, V.N. 184
Mohan, Ch.V. and H. Kronmüller, Magnetic phase transition in amorphous $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy 96
Mohan, Ch.V., see Coelho, A.A. 87
Morrish, A.H., see Li, Z.W. 193
Moukarika, A., V. Papaefthymiou, T. Bakas, V. Psycharis and D. Niarchos, X-ray and Mössbauer studies of Sm–Fe–Nb(Zr) (2:17:2) alloys and their nitrides 109
Murariu, V., see Badescu, V. 225
Mushnikov, N.V., N.K. Zajkov and A.V. Korolyov, On the nature of magnetization jumps in $Dy(Fe,M)_2$ (M = Al, Si) 322

Nagahama, T., see Mibu, K. 75
Nakamura, H., M. Shiga and N. Metoki, Effect of Tb substitution on the helical modulation vector of YMn_2 L1
Neveu, S., see Vincent, D. 216
Niarchos, D., see Moukarika, A. 109
Nikiforov, V.N., Yu.A. Koksharov, J. Mirković and Yu.V. Kochetkov, New dense Kondo systems $Ce_3Pd_{20}Ge(Si)_6$ and related compounds $Sm(Yb)_3Pd_{20}Ge(Si)_6$ 184
Noyel, G., see Vincent, D. 216

Oepen, H.P., see Wulfhekel, W. 267
Ohta, E., see Ando, T. 277
Ohta, S., T. Kaneko and H. Yoshida, Anisotropic thermal expansion and effect of pressure on magnetic transition temperatures in chromium chalcogenides Cr_3X_4 with X = Se and Te 117
Olzon-Dionysio, M., see Carbonari, A.W. 313
Ortega, M.D., see Postava, K. 8
Ousset, J.C., see Postava, K. 8

Pan, H., F. Yang, C. Chen, N. Tang, X. Han and Q. Wang, Structural and magnetic characterization of the ternary phase $R_3(Fe,Mo)_{29}$ (R = Tb and Dy) 221
Papaefthymiou, V., see Moukarika, A. 109
Papakonstantinou, P., B. Teggart and R. Atkinson, The effects of substrate temperature and oxygen pressure on pulsed laser deposited Bi-substituted Dy iron garnet films 378

Parhofer, S., G. Gieres, J. Wecker and L. Schultz, Growth characteristics and magnetic properties of sputtered Nd–Fe–B thin films 32
Park, W.S., see Kim, D.H. 373
Patton, C.E., see Hurben, M.J. 39
Pendl, Jr., W., see Carbonari, A.W. 313
Pereira de Azevedo, M.M., see Rogalski, M.S. L257
Pillai, V. and D.O. Shah, Synthesis of high-coercivity cobalt ferrite particles using water-in-oil microemulsions 243
Pištora, J., see Postava, K. 8
Postava, K., J.F. Bobo, M.D. Ortega, B. Raquet, H. Jaffres, E. Snoeck, M. Goiran, A.R. Fert, J.P. Redoules, J. Pištora and J.C. Ousset, Magneto-optical measurements of magnetization reversal in nanometer scale sputtered Fe thin films 8
Poulopoulos, P., R. Krishnan and N.K. Flevaris, Antiferromagnetic-like coupling evidence in a Pd–Ni multilayer with inverted hysteresis features 27
Prasad, S., see Krishnan, R. 353
Psycharis, V., see Moukarika, A. 109

Qachaou, A., see Lassri, H. 339

Rabu, P., see Rouba, S. 365
Raquet, B., see Postava, K. 8
Rassili, A. and M. Ausloos, Theory of the thermal conductivity of metallic localized spin compounds in a magnetic field 153
Redoules, J.P., see Postava, K. 8
Regnault, L.-P., see Rouba, S. 365
Reissner, M., see Shrivastava, K.N. 150
Ressouche, E., see Rouba, S. 365
Rezlescu, N., see Badescu, V. 225
Riou, D., see Cavellec, M. 173
Rogalski, M.S., M.M. Pereira de Azevedo and J.B. Sousa, Phase and particle size distribution in magnetoresistive Fe–Cu granular alloys investigated by Mössbauer spectroscopy L257
Rogers, D.J., Y. Maeda and K.M. Krishnan, Investigations of the compositional distribution in epitaxially grown Co–Cr thin films with enhanced saturation magnetisation 393
Rotariu, O., see Badescu, V. 225
Rouba, S., P. Rabu, E. Ressouche, L.-P. Regnault and M. Drillon, Ferromagnetism in 1d and 2d triangular nickel(II)-based compounds 365
Rücker, U., see Demokritov, S. 21
Rudowicz, C., see Zhou, Y.Y. 80

Sánchez, M.L., R. Valenzuela, M. Vázquez and A. Hernando, Effects of creep-induced anisotropy on circumferential magnetization in non-magnetostrictive wires 132
Sato, T., see Ando, T. 277
Saxena, R.N., see Carbonari, A.W. 313
Sayouty, E.H., see Lassri, H. 345
Schultz, L., see Parhofer, S. 32
Shah, D.O., see Pillai, V. 243
Shao, Y.Z., J.K.L. Lai and C.H. Shek, Preparation of nanocomposite working substances for room-temperature magnetic refrigeration 103
Shek, C.H., see Shao, Y.Z. 103
Shiga, M., see Nakamura, H. L1
Shinjo, T., see Mibu, K. 75
Shringi, S.N., see Krishnan, R. 353
Shrivastava, K.N., M. Reissner and W. Steiner, Mössbauer relaxation time of ^{57}Fe in $Y(Fe_xAl_{1-x})_2$ as a function of magnetic field 150
Sinclair, G.J., see Jones, G.A. 232
Slimani, M., M. Hamdoun, A. Itri, H. Lassri and R. Krishnan, Some magnetic properties and exchange interactions in $Fe_{80-x}Tm_xB_{12}Si_8$ amorphous alloys 349
Snoeck, E., see Postava, K. 8
Sousa, J.B., see Rogalski, M.S. L257
Steiner, W., see Shrivastava, K.N. 150
Street, R., see Crew, D.C. 299
Swainson, I.P., see Girt, Er. L251
Swirkowicz, R., Spin waves in thin films with various profiles of the magnetic moment 70

Takasu, I., A. Yanagitani and H. Matsuda, Improvement of the sintering process in a Sendust alloy powder used as a magnetic recording head material 397
Tamine, M., Calculations of the soft mode of magnons on a (001) surface for a semi-infinite cubic frustrated antiferromagnet 137
Tang, N., see Pan, H. 221
Teggart, B., see Papakonstantinou, P. 378
Tucker, J.W., see Hua, L. 285

Uspenskii, Yu.A., see Kulatov, E.T. 331

Valenzuela, R., see Sánchez, M.L. 132
Vázquez, M., see Sánchez, M.L. 132
Vincent, D., S. Neveu, L. Jorat and G. Noyel, Gyromagnetic resonance in ferrofluids made from manganese ferrite or magnetite particles: influence of a constant axial magnetic field 216

Wang, Q., see Pan, H. 221
Wecker, J., see Parhofer, S. 32
Wu, C.H., X.M. Jin, W.Q. Ge, Y.C. Chuang, X.P. Zhong, R.Q. Li and J.Y. Li, Magnetostriction and anisotropy compensation composition of $Dy_{0.9-x}Tb_xPr_{0.1}Fe_{1.85}$, $Dy_{1-x}Tb_x(Fe_{0.9}Mn_{0.1})_{1.8}$ and $Dy_{0.9-x}Tb_xPr_{0.1}(Fe_{0.9}Mn_{0.1})_{1.8}$ alloys 360
Wulfhekel, W., S. Knappmann and H.P. Oepen, Magnetic anisotropy in Co/Cu(1 1 17): Temperature dependence 267

Yanagitani, A., see Takasu, I. 397
Yang, F., see Pan, H. 221
Yoshida, H., see Ohta, S. 117

Zadro, K., Magnetic excitations in $Fe_3Ni_{77}B_{18}Si_2$ amorphous alloy L5
Zajkov, N.K., see Mushnikov, N.V. 322
Zeng, G., see Ba, Q. 327
Zhi, J., see Ba, Q. 327
Zhong, X.P., see Wu, C.H. 360
Zhou, Y.Y. and C. Rudowicz, High field magnetic anisotropy study of Fe^{2+} ions in II–VI semimagnetic semiconductors 80

ELSEVIER

Journal of Magnetism and Magnetic Materials 163 (1996) 405–406

journal of magnetism and magnetic materials

Subject index to volume 163

Aftereffect 327
Amorphous systems
– alloys 96, 327, 339, 345, 349, 353
– non-magnetostrictive 132
Anisotropy 8, 80, 216
– compensation 360
– constant 27, 199, L264
– creep-induced 132
– in-plane 39
– magnetic 199, 267, 277
– magnetization dependence L264
– magnetocrystalline 373
– perpendicular 378
– planar 87, 221
– radom 345
– surface 285
– temperature dependence L264
– uniaxial 267
Annealing effect 132
Antiferromagnets
– frustrated 137
Auger electron spectroscopy 21

Band magnetism 70
Bridgman method 87

Chemical etching 393
Coercivity 109, 243
Compensation temperature 292
Compositional separation 393
Computer simulation 285
Critical phenomena
– *exponents 87, 96*
Crystal field
– *effect 184*
Curie temperature 21, 103, 109, 221, 349

Disordered sytems L5

Electrical resistivity 184
Electroless plating 397
Electronic structure 125, 331
Enthalphy of mixing L251
Erosion force 225
Exchange coupling 125
Exchange integral 353
Exchange interaction 349
Exchange
– indirect 21

Ferrimagnetism 292
Ferrites 164, 216, 243
Ferrofluids 216
Ferromagnetism 365
Film growth 378
Fracton L5
Frustration 137

Garnet films 378
Granular alloys L257
Green's function 137

Hard magnetic materials 32, 109, 373
Heat treatment 327
Heisenberg ferromagnet 87
Helimagnetism 1
Heusler alloys 313
Hopkinson effect 327
Hyperfine fields 109, 313
Hysteresis 322
Hysteresis loop 27

Ising systems
– diluted 292
– *mixed-spin 292*
Isomer shift 150
Itinerant electrons
– metamagnetism 199

Kerr effect 8, 267
Kondo systems 184

Laves phase compound L1, 360
Low-dimensional systems 365

Magnetic hardness 397
Magnetic moment 125, 184
Magnetic recording 393
Magnetic recording head 397
Magnetic refrigeration 103
Magnetic storage media 232
Magnetization 221, 243, 345, 353, 365
– high field 199
– irreversible 299
– jumps 322
– process 75
– reversal 8, 75
– saturation 193
– spontaneous 87
– temperature dependence 339, 349
Magneto-optical effects 378
Magneto-optical investigation 21
Magneto-optics 8, 331
Magnetoimpedance
– giant 132
Magnetoresistance 21, 75
Magnetostatic waves 39
Magnetostriction 360
Magnons 137
Mean field approximation 153
Mean field theory 349, 353
Mechanical deformation 103
Metallic glasses 345
Microemulsion 243
Micromagnetism 285
Microstructure 232, 378
Modelling 207, 225
Mössbauer spectroscopy 109, 150, 173, 193, *L257, 353*
Multilayers 27, 75, 267

Nanoparticles 103, 243
Neutron diffraction L1, L251, 365
Nuclear magnetic resonance 393

Optics 331
Oxygen pressure 378

Parametric method L264
Particles
– ferromagnetic L257
– *size distribution L257*

Permeability
– complex 327
Phase transitions
– field-induced 199
– magnetic 87, 96, 117
Pinning 322
Pressure effect 117
Pseudobinary compound 360
Pulsed laser deposition 378

Rare earth
– alloys 103
– doping 339
Rare-earth–transition metal compounds 87, 125, 221, 353
– interstitial nitrides 109, 373
– interstitial carbides 193
Remanence 243
– negative 27
Resonance
– gyromagnetic 216

Sendust alloy 397
Single crystal 87, 199
Sintered powders 397
Soft magnetic materials 75
Specific heat 103, 322, 365
Spin dynamics L5
Spin glass
– re-entrant 277
Spin system
– localized 153
Spin waves 70
– linewidth 164
– resonance 207
Spin–orbit interaction 80
Spin–spin interaction 80
Sputtering pressure 232
– magnetron 32
– thin film 8
SQUID 21
Stoner–Wohlfarth model 299
Structure
– ripple 285
Substitution effect L251, 339
Superexhange 173
Superparamagnetism 184
Surface magnetism 137
Surface roughness 207
Susceptibility 173
– complex 216
– nonlinear 277
– temperature dependent 365

Tensile stress 132
Thermal conductivity 153
Thermal expansion 117
Thin films 39, 70, 393
– bilayer 232
– epitaxial 21
– iron 8
– rare earth 32
Transmission electron microscopy 243
Transport properties 21

Vibrating sample magnetometer 87
Viscosity
– magnetic 299

X-ray diffraction 109, 173, 243

Zeeman splitting 80